



Material Safety Data Sheet TANAMUL – SM

HEALTH	1
FLAMMABILITY	2
REACTIVITY	0
PERSONAL PROTECTION	B

Sun Drilling Products 24 Hr. Emergency # US Tel: 1- 800-962-6490 Int'l. Tel. 011-44-1603-667020

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIER: SUN DRILLING PRODUCTS CORP.
503 Main Street
Belle Chasse, LA 70037

MANUFACTURER: SUN DRILLING PRODUCTS CORP
503 Main Street
Belle Chasse, LA 70037

PRODUCT NAME: TANAMUL – SM
PRODUCT CODE: EXP9111A
PRODUCT USE/CLASS: PROPRIETARY BLEND

MSDS REVISION DATE: 04/11/05

PREPARER: KS

PHONE: 713-690-3939

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	EXPOSURE LIMITS	CAS#	% BY WEIGHT
PROPRIETARY BLEND	NONE ESTABLISHED	XXXXX-XX-X	XX

3. HAZARD IDENTIFICATION

EYE: May be irritating and may cause pain, tearing, reddening and swelling.

SKIN: May cause skin irritation. Prolonged contact may cause dermatitis.

INGESTION: May be irritating to mouth, throat, and stomach. Swallowing large amounts may be harmful.

INHALATION: Prolonged inhalation may be harmful and can cause headaches, dizziness, nausea, anesthesia, narcosis, decreased blood pressure, changes in heart rate and cyanosis. May be irritating to mucous membranes and lung tissue.

CHRONIC INFORMATION: None Known

PRIMARY ROUTE(S) OF ENTRY: Ingestion Inhalation

4. FIRST AID MEASURES

EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open. Get medical attention, if irritation persists.

SKIN CONTACT: Wash with soap and water. Get medical attention if irritation develops or persist.

INHALATION: Remove victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

INGESTION: Place victim on left side with head down to prevent aspiration into lungs. Induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

5. FIRE FIGHTING MEASURES

FLASH POINT: >146 F
(PMCC)

LOWER EXPLOSIVE LIMIT: N.D.
UPPER EXPLOSIVE LIMIT: N.D.

AUTOIGNITION TEMPERATURE: N.D.

Material Safety Data Sheet

TANAMUL – SM

EXTINGUISHING MEDIA: CHEMICAL FOAM CO₂ (Do not use Water Spray)

UNUSUAL FIRE AND EXPLOSION HAZARDS: Can release vapors that form explosive mixtures at temperatures at or above the flash point. Empty containers retain product residue (liquid and/or vapor) and can be dangerous.

SPECIAL FIRE FIGHTING PROCEDURES: Containers can build up pressure if exposed to heat (fire). As in any fire, wear a self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear. Apply alcohol-type foam or all purpose foam by manufacturers recommended techniques for large fires. Use carbon dioxide or dry chemical for small fires. Use water spray to keep containers cool.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Extinguish any possible ignition source until the area is determined to be free from fire or explosion hazard. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. (See exposure controls / personal protection section) Spilled material should be disposed of according to applicable regulations.

7. HANDLING AND STORAGE

HANDLING: Handle all chemicals with care. Ground and bond containers when transferring materials.

STORAGE: Keep away from heat, sparks, and flames. Keep container closed when not in use. Store in a cool, dry, well ventilated place away from incompatible materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Local exhaust ventilation may be necessary to control any air contaminants to within their exposure limits.

RESPIRATORY PROTECTION: No protection needed under normal use and conditions. Use a NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge when airborne concentrations are expected to exceed exposure limits. Protection by air purifying respirators is limited.

SKIN PROTECTION: When contact is likely wear chemical resistant gloves and boots.

EYE PROTECTION: Wear safety glasses with side shields or goggles.

OTHER PROTECTIVE EQUIPMENT: Emergency eye wash stations and deluge showers should be available in the work area.

HYGIENIC PRACTICES: Wash hands before eating. Use only with adequate ventilation. Remove contaminated clothing and wash before reuse. Ground and bond containers when transferring material.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Thick brown liquid

ODOR: Acrid

BOILING POINT (RANGE): N/D

FREEZE POINT: N/D

VAPOR DENSITY: N/D

VAPOR PRESSURE: N/D

PHYSICAL STATE: Liquid

SOLUBILITY IN WATER: Insoluble

PH (AS IS): N/D

SPECIFIC GRAVITY: 0.92-0.96

10. STABILITY AND REACTIVITY DATA

CONDITIONS TO AVOID: Avoid temperature extremes. Excessive heat causes the vapor pressure to increase rapidly.

INCOMPATIBILITY: Avoid contact with strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon and nitrogen.

Material Safety Data Sheet

TANAMUL – SM

HAZARDOUS POLYMERIZATION: Will not occur under normal use and storage conditions.

CHEMICAL STABILITY: This product is stable under normal storage conditions.

11. TOXICOLOGICAL INFORMATION

ORAL: No product information is available.

DERMAL: No product information is available.

INHALATION: No product information is available.

12. ECOLOGICAL INFORMATION

ECOTOXICITY: No product information is available.

CHEMICAL FATE INFORMATION: No product information is available.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Consult local, state, or federal regulatory agencies for acceptable disposal procedures and disposal locations. Disposal in streams or sewers may be prohibited by federal, state, and local regulations.

RCRA STATUS: D001, characteristic of ignitability

14. TRANSPORTATION INFORMATION

(NON-BULK SHIPMENTS)

D.O.T. PROPER SHIPPING NAME: Not Regulated

D.O.T. TECHNICAL NAME:

D.O.T. HAZARD CLASS:

HAZARD SUBCLASS:

D.O.T. UN NUMBER:

PACKING GROUP:

RESP. GUIDE PAGE:

(BULK SHIPMENTS)

D.O.T. PROPER SHIPPING NAME: Combustible liquid, n.o.s.

D.O.T. TECHNICAL NAME:

D.O.T. HAZARD CLASS: Combustible Liquid **HAZARD SUBCLASS:** N/A

D.O.T. UN NUMBER: NA 1993

PACKING GROUP: III

RESP. GUIDE PAGE: 128

T.D.G. PROPER SHIPPING NAME: Not Regulated

T.D.G. TECHNICAL NAME:

T.D.G. HAZARD CLASS:

HAZARD SUBCLASS:

T.D.G. UN NUMBER:

PACKING GROUP:

RESP. GUIDE PAGE:

IMDG PROPER SHIPPING NAME: Not regulated

IMDG TECHNICAL NAME:

IMDG HAZARD CLASS:

HAZARD SUBCLASS: N/A

IMDG UN NUMBER:

PACKING GROUP:

EmS No:

15. REGULATORY INFORMATION

CERCLA – SARA HAZARD CATEGORY:

SECTION 311/312: This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendments and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Material Safety Data Sheet

TANAMUL – SM

IMMEDIATE HEALTH HAZARD FIRE HAZARD

SARA SECTION 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

COMPONENT	CAS#	% BY WEIGHT
------------------	-------------	--------------------

TSCA STATUS:

All components of this product are listed on the Toxic Substance Control Act Inventory or are excluded from the listing requirements.

INTERNATIONAL REGULATIONS:

CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

CANADIAN WHMIS CLASS: B-3, D-2B

CANADIAN ENVIRONMENTAL PROTECTION ACT:

All components of this product are listed on the Canadian Domestic Substance List (DSL).

16. OTHER INFORMATION

HMIS RATING – HEALTH: 1 FLAMMABILITY: 2 REACTIVITY: 0 PERSONAL PROTECTIVE RATING: B

LEGEND: N.A. – NOT APPLICABLE, N.E. - NOT ESTABLISHED, N.D. – NOT DETERMINED

THIS PRODUCT'S HEALTH AND SAFETY INFORMATION IS PROVIDED TO ASSIST OUR CUSTOMERS IN ASSESSING COMPLIANCE WITH HEALTH, SAFETY AND ENVIRONMENTAL REGULATIONS. THE INFORMATION CONTAINED HEREIN IS BASED ON DATA AVAILABLE TO US, AND IS BELIEVED TO BE ACCURATE, ALTHOUGH NO GUARANTEE OR WARRANTY IS PROVIDED OR IMPLIED BY THE COMPANY IN THIS RESPECT. SINCE THE USE OF THIS PRODUCT IS WITHIN THE EXCLUSIVE CONTROL OF THE USER, IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE CONDITIONS OF SAFE USE. SUCH CONDITIONS MUST COMPLY WITH ALL GOVERNMENTAL REGULATIONS.